

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	54	("4527744" "4875658").PN. OR ("5732888").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/17 15:24
S1	0	DE3501973	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/05 12:09
S2	6913970	DE "3501973"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/29 16:33
S3	26	"4984549"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/29 16:33
S4	32	("2220558" "4197996" "4401059" "4406255" "4434765" "4459943" "4508091" "4627405").PN. OR ("4984549").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/29 16:36
S5	5	("4984549" "5261371" "5639061" "6024302" "6561482").PN. OR ("6722627").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/29 16:38
S6	760	239/584	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/05 12:10
S7	288	239/585.1-585.5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/05 12:10
S8	5	("5340032" "5692723" "5921475" "6070813" "6328232").PN. OR ("7070127").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/05 12:24
S9	466769	fuel injector	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25
S10	146070	armature	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25

S11	245853	solenoid	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25
S12	891451	coil	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25
S13	286858	pole	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25
S14	926245	coating	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:25
S15	903851	recesses	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:26
S16	46	S9 and S10 and S11 and S12 and S13 and S14 and S15	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:23
S17	20	"4245789"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 13:48
S18	22	("1587921" "3729025" "3737141" "4027850").PN. OR ("4245789").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/05 13:35
S19	1	"6758419"	USPAT	OR	OFF	2006/07/07 12:33
S20	16	"5348232"	USPAT	OR	OFF	2006/07/07 12:44
S21	48	"5732888"	USPAT	OR	OFF	2006/07/07 12:45
S22	2007	((239/533.3-533.12. ccls.)).OCLS.	USPAT; USOCR	OR	OFF	2006/07/07 13:48
S23	1	("4984549").PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:59
S24	2	("0425789").PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:59
S25	1	("4245789").PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:59
S26	1805655	coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:28
S27	12889	armature with face	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:28
S28	104232	dome	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:28
S29	555132	recesses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:28

S30	38565	hydraulic with lock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:29
S31	81	S26 with S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:29
S32	806	S28 with S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:29
S33	0	S31 and S32 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:29
S34	0	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/10 17:29
S35	21	("3368788" "3651833" "4538129" "4778112").PN. OR ("5085402").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:35
S36	1554	251/129.15.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:36
S37	201	S36 and coat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:37
S38	26	"4984549"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:42
S39	22	"4245789"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:42
S40	6	"6244526"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:42
S41	1	"6722627"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:42
S42	23	"5085402"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:42
S43	1	"7070127"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43
S44	3	"7011257"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43
S45	60	"5340032"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43
S46	4	"5115982"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43
S47	1	"6824084"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43

S48	7	"6024302"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 20:43
S49	369	604/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:07
S50	75	604/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:07
S51	208	604/70.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:07
S52	95	604/71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:07
S53	88	604/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:07
S54	0	128/200.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/06 13:08
S55	2119701	coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:29
S56	4835081	layers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:29
S57	155448	S55 adj S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:30
S58	220887	armature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:30
S59	0	S57 adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:37

S60	52	S57 with S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:37
S61	148281	"non-uniform"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:41
S62	47619	nonuniform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:41
S63	5135	S61 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:41
S64	0	S63 and "325"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:41
S65	0	S63 and ""/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:41
S66	3	S63 and "335"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:42
S67	13	"3591468"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:44
S68	12	"6632342"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 12:50
S69	1812	427/256.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 13:02

S70	1136	427/258.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 13:28
S71	1104	427/261.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 13:28
S72	732	427/265.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 13:28
S73	1543	427/287.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 13:28
S74	9	("2937955").URPN.	USPAT	OR	OFF	2009/02/03 13:46
S75	22	("20010029665" "20020008320" "20030185971" "20040145858" "4668533" "4791239" "5082718" "5124781" "5200026" "5594652" "5650199" "5948533" "6010769" "6261941" "6487774" "6503831" "6707153" "6753033" "7202155").PN. OR ("7285305").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/08 11:37
S76	125006	dome	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:41
S77	5055675	layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:41
S78	2201738	coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:41

S79	191	S76 with S77 with S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:43
S80	0	S79 with chromium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:44
S81	15	S79 and chromium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:44
S82	3	("4891242").PN. OR ("6753033").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/08 11:49
S83	21	"5,226,975"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 17:20
S84	1499	armature with coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:19
S85	4	S84 with drop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:20
S86	194	S84 and fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:30
S87	124	S86 and (pattern or layers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:30
S88	210	S84 with layers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:31
S90	22	S88 and fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:31

S91	25667	coating with bead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:34
S92	81	S91 with chromium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:35
S93	0	S92 with armature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:35
S94	0	S92 with fuel with injector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:35
S95	0	S92 with fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:35
S96	2	S92 and fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 18:35
S97	2275712	coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:14
S98	492032	electro	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S99	676229	magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S100	226759	armature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15

S101	2544053	pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S102	14939	S97 with S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S103	87807	S97 with S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S104	7982	S103 and "427"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S105	5	S104 and S98 and S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:15
S106	5258139	layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:16
S107	403865	chromium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:16
S108	126	S97 and S107 and S98 and S99 and S100 and S101 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:16
S109	1	S108 and "427"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:17
S110	759522	overlap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:19

S111	575	S97 and S110 and S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:20
S112	7	S111 and "427"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:21
S113	2237	427/131.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:27
S114	6	S113 and armature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:30
S115	1501	armature with coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:30
S116	35	S115 and dome	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:30
S117	213	dome with shape with coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:34
S118	0	S117 and aramature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:34
S119	1135	427/132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:38
S120	113	friction with coating with armature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:39

S121	12	hydraulic with lock with coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:42
S122	630	coating with height with difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:43
S123	11	S122 with microns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:43
S124	1577	427/287.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:45
S125	2211	427/256.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/27 19:45
S126	14	("4840715" "5302414" "5691048" "5795626" "6001426" "6051274" "6224943" "6372374" "6376092").PN. OR ("6592947").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/27 19:59
S127	0	colloidal with coating with armature	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/27 20:00
S128	0	undulating with coating with armature	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/27 20:00
S129	267	undulating with coating	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/27 20:00
S130	91	colloidal with coating	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/27 20:00

EAST Search History (Interference)

<This search history is empty>

8/17/2010 3:41:52 PM**C:\Documents and Settings\tmcgraw\My Documents\EAST\Workspaces\10531407.wsp**